



Electrochemical Hydrogen Sulfide Gas Sensor (ME3-H2S)

Manual V1.2

Zhengzhou Winsen Electronics Technology Co., Ltd



ME3-H₂S Hydrogen Sulfide Gas Sensor

ME3-H2S electrochemical sensor detect gas concentration by measuring current based on the electrochemical principle, which utilizes the electrochemical oxidation process of target gas on the working electrode inside the electrolytic cell, the current produced in electrochemical reaction of the target gas are in direct proportion with its concentration while following Faraday law, then concentration of the gas could be get by measuring value of current.

1.Features

- * Low consumption
- * High precision
- * High sensitivity
- * Wide linear range
- * Good anti-interference ability
- * Excellent repeatability and stability




Widely used in industrial and environmental protection fields

s3. Technical Parameter

4. External dimension


Detection gas	H₂S	
Measurement Range	0∼100ppm	
Max detecting concentration	500ppm	
Sensitivity	(0.8±0.15) µ A/ppm	
Resolution ratio	0.1ppm	
Response time (T ₉₀)	<30S	
Bias voltage	0mV	
Load resistance (recommend)	10 Ω	
Repeatability	<2% output value	
Stability (/ month)	<2%	
Output Linearity	linear	
Zero drift (-20℃~40℃)	≤0.2ppm	
Storage temperature	-20℃ ~50℃	
Storage Humidity	15%~90%RH	
Pressure range (kPa)	Standard atmosphere	
	±10%	
Anticipated using life	2 years(in air)	
Anticipated using life	2 years(in air)	






5. Characterization


Features of Sensitivity, response and output signal




Data graph of concentration linearity features




V0 Change upon Variable Temperature




Sensitivity upon variable temperature



6.Basic circuit







7. Anti-Interference:

ME3-H₂S sensor also responds to other gases besides target gas. Below are the response characteristics of interferential gases

Gas	Concentration	ME3-H2S
СО	200ppm	<0.5ppm
CL2	10ppm	<-0.7ppm
C2H4	400ppm	<0.3ppm
H2	10000ppm	<16ppm
С2Н5ОН	1000ppm	<0.3ppm
NH3	50ppm	<-0.3ppm
SO2	20ppm	<1.6ppm
PH3	20ppm	<14ppm
CH2O	10ppm	<2.5ppm
С6Н6	100ppm	<0.2ppm
СНЗОН	200ppm	<0.15ppm

8. Application Notes:

- Sensor shall Avoid organic solvent, coatings, medicine, oil and high concentration gases;
- All ME Sensors shall not be encapsulated completely by resin materials, and shall not immerse in pure oxygen environment, otherwise, it will damage the function of sensor:
- All ME sensors shall not be applied in corrosive gas environment, or the sensor will be damaged;
- Please test the sensitivity of gas sensors in clean atmosphere;
- Sensors Shall be avoided to face the gas, which flow directly from front side;



- To avoid to bend and break of pins;
- Blowhole of the sensor should not be blocked and polluted, which will cause the sensitivity decrease;
- Excessive impact or vibration should be avoided;
- Do not use the sensor when the shell is damaged;
- It takes some time for the sensor to return to normal state After applied in high concentration gas;
- Do not take apart the sensor, otherwise electrolyte leakage can cause sensor damage;
- Working electrode and reference electrode of the sensor shall be in short circuit when stored.;
- To preheat over 48hs before using and soldering forbidden;

Note: To keep continual product development, we reserve right to change design features without prior notice!

Zhengzhou Winsen Electronics Technology Co., Ltd

Add.: NO.299 Jin Suo Road, National Hi-Tech Zone,

Zhengzhou, 450001 China Tel.: 0086-371-67169097 Fax:0371-60932988

E-mail:sales@winsensor.com