

VOICE TOOL Module

JT-800-10

www.j-t.co.kr

(02)2060-6327

1.

Module (JT-1000) TEST



*

- (BCD)
- 가
- 10 CL(Continuous Listening)
- 10 SD(Speaker Dependent) ()

*

- Module(JT-1000)
- Size : 42mm * 31mm
- : DC 5V
- Main Module(JT-800-10)
- Size : 107mm *80mm
- : DC 9V ~ 12V
- : DC 5V

2. Module

- Module(JT-1000)
- Main Module(JT-800-10)
- (DC 9V ~ 12V)
-
-



3. Main Module Spec

Module

4. Module

JT-800 , , , , .

1)

JT-1000 가 .

2)

- SW2 :
- SW3 :
- SW4 :
- SW5 :

3)

BCD LED 가 .

4)

1W AMP . SW1 , .

VR1 가 .

5)

(GND) TP1 DC 5V TP2 .

5.

- E/phone :
- SPK :
- MIC :
- JP1, JP2 : (JT-1000)
- VR1 :
- :

- POWER (JP1) :
- SW1 : ,
- SW2 : RESET
- SW3 : (RECOG)
- SW4 : (TRAINING)
- SW5 : (LEVEL)

6. Manual

1. SPK MIC .
2. (JP1) 가 LED(D2)가 GREEN LED(D9) YELLOW LED(D10)가 .
3. RESET (SW2) RECOG (SW3), TRAINING (SW4) () 가 .
4. LEVEL (SW5) LEVEL1 ~ LEVEL5 ,
5. TRAINING (SW4) .
6. 10 1 ~ 4 가 2 ,

7. 10 () 가

8. RECOG (SW3) 가

9. LED(D3 ~ D7)가
BCD

1 : 10

“ ” 가

RESET (SW2)
RECOG (SW3), TRAINING (SW4)
LEVEL (SW5) . "1", "2", "3", "4", "5"

TRAINING (SW4)

“ ”

“ ” “ ” , ”

“ ”

3 ~ 10

10 “ ” 가

RECOG (SW3)

LED

“ ”
 “ ”
 “ ” 가
 SW4
 LED

2 : 10

3
 ? 1 3
 RESET (SW2) 3
 1

7.

()
 AC 110V ~ 220V, 60Hz
 DC 9V ~ 12V, 300mA

*

-JT-800-10 : DC 5V
 -JT-1000 : DC 5V

*

-JT-800-10 : 155mA

-JT-1000 : 50mA

* Main Board(JT-800-10)

-가 : 107mm

- : 80mm

* (JT-1000)

-가 : 42mm

- : 31mm

8.

- .
- .
- JT-1000() .
- IC .
- IC .
- .
- LED .
- .