QUICK START GUIDE



1. ANALOG OUTPUT (Try this first before attempting 2.)

Before you start, you need: SingleTact Sensor, SingleTact Electronics, Four Jumper Wires, Power source (Power supply, USB power or Battery), Oscilloscope or Voltmeter.

Connect the sensor into the FFC connector on the green Interface Board. Use the supplied quick snap connector and jumper wires or solder wires directly the pins below.



2. PC DIGITAL SETUP

Before you start, you need: SingleTact Sensor, Electronics & Jumper Wires, Arduino UNO, Windows computer with a Windows PC.

Connect the sensor into the FFC connector on the green interface board and connect the Arduino using 4 wires, as shown:



QUICK START GUIDE



MINIATURE FORCE SENSORS

2.1 CONFIGURING AN ARDUINO

- Download and install the Arduino Software from: <u>https://www.arduino.cc/en/Main/Software</u>
- Download the SingleTact Arduino firmware (ExampleArduinoInterface) from: www.singletact.com
- Connect the Arduino to the PC using the supplied USB cable.
- Open the Arduino IDE software.
- □ In the Arduino Software:
- 1. Go to File --->Open and open "SingleTact Demo.ino"
- Go to Sketch --->Include Library --->Add .zip Library and select "Timer1.zip"
- 3. Go to Sketch --->Verify/Compile.
- 4. Go to Sketch --- > Upload. You should see "Done uploading" in the green bar, as shown on the right.

Note: If you receive an error check all hardware connections and make sure the Arduino is selected under Tools --->Port.

Note: USB communication may require installation of an additional Arduino driver, as described here https://www.arduino.cc/en/Guide/Windows#toc4

SingleTactDemo				
olingieraciberno				
// Copyright (c) 2015	Pressure P	rofile System	13	
// Licensed under the	MIT licens	e. This file	may not be	copied
// distributed except	according	to those term		
#define CMD_READ	0x01			
#Include (IImeri.n> //i	for timesta	μþ		
#define CMD_READ	0x01			
#define CMD_WRITE	0x02			
#define CMD_TOGGLE_GPIC	0 0x03			
#define CMD_WRITE_CAL	0x04			
#define TOGGLE_ALL	80x0			
#define TOGGLE_NONE	00x00			
//Constants				
· · · · · · · · · · · · · · · · · · ·				
		-		
Done uploading.				
Sketch uses 5,464 bytes	(16%) of p	rogram stora	je space. M	aximum

2.2 RUNNING DIGITAL Acquisition SOFTWARE

- 1. Obtain the PC DAQ binary from: www.singletact.com
- 2. Open PCExecutable folder.
- 3. Run SingleTact Demo.exe.
- 4. The blue trace shown below will change when pressing on the sensor.

Export Chart Data			Time (s)							
Lo	ck			15	20	25	30	35	40	
				L, , , , , , , , , , , , , , , , , , ,						
Set Configuration	Update Baseline		-200 -	Į						
				† : : : : : : : : :						
3.75			-100	<u>‡</u> : : : : : : : :						
Carla Francis			0 -							
Reference Gain:	2x •	l II		teres Je						
I2C Address:	0x04 👻	but	100 -	÷			••••••			
Ipdate Flash	(51)									
			200 -							
Refre	esh		000				J		111 I I I I I I I I I I I I I I I I I I	
	575 (5.75)	Sca	300							
icale Factor:	375 (3 75)	le F	400 -		·····					
laseline:	52072	ang								
Reference Gain:	01 (2x)	(e	500 -	+	· · · · · · · · · ·					
2C Address:	0x04			Į						
ttings On Flash			600 -	Į.:						
MINIAI ORE F	UNCE SENSUNS		, 50	<u>+</u>						
			700	<u>‡</u> : : : : : : : :						

Please check the SingleTact Manual for trouble shooting and more detailed information. http://www.singletact.com/SingleTact_Manual.pdf